



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on June 16, 2009.

**GOLAN PLASTIC PRODUCTS LTD.
KIBBUTZ SHAAR HAGOLAN
M.P. JORDAN VALLEY 15145
ISRAEL
972 46 677432**

Facility: JORDAN VALLEY, ISRAEL

Chlorine Resistance - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	HeatFlow PEX PE-Xc Natural	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	HeatFlow PEX PE-Xc Black	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	HeatFlow PEX PE-Xc Blue	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	HeatFlow PEX PE-Xc Red	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Heating PE-Xc Black	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Heating PE-Xc Blue	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Heating PE-Xc Natural	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Heating PE-Xc Red	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Plumbing PE-Xc Natural	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Plumbing PE-Xc Black	ASTM F876/F877
Pipe# \$ + ^ § 3/8" - 3/4" SDR 9	PEX 1006	Slant/Fin Plumbing PE-Xc Blue	ASTM F876/F877

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Slant/Fin Plumbing PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Pexgol PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Pexgol PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Pexgol PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Pexgol PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Terratherma PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Terratherma PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Terratherma PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Terratherma PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaSeal PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaSeal PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaSeal PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaSeal PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaHeat PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaHeat PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaHeat PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	AquaHeat PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Plumber Friendly PE- Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006	Plumber Friendly PE- Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe# \$ + ^ \$	PEX 1006		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Plumber Friendly PE- ASTM F876/F877
Xc Blue

3/8" - 3/4" SDR 9

Pipe# \$ + ^ §

PEX 1006

Plumber Friendly PE- ASTM F876/F877
Xc Red

3/8" - 3/4" SDR 9

Product complies with both Traditional Domestic and Domestic Continuous Re-Circulation End Use conditions as specified in NSF Protocol P171.

\$ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

+ Material complies with NSF/ANSI Standard 61 health effects requirements.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe ⁺ \$ + ^ §	PEX 1006	HeatFlow PEX PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	HeatFlow PEX PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	HeatFlow PEX PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	HeatFlow PEX PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	HeatFlow PEX PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	Slant/Fin Heating PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	Slant/Fin Heating PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ⁺ \$ + ^ §	PEX 1006	Slant/Fin Heating PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	Slant/Fin Heating PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{\$} + ^ §	PEX 1006	Slant/Fin Heating PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ⁺ \$ + ^ §	PEX 1006	Slant/Fin Plumbing PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe ^{\$ + ^ S}		PEX 1006	Slant/Fin Plumbing PE-Xc Natural	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Slant/Fin Plumbing PE-Xc Black	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Slant/Fin Plumbing PE-Xc Blue	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Slant/Fin Plumbing PE-Xc Red	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{+ ^ S}		PEX 1006	Pexgol PE-Xa Natural	ASTM F876/F877
3/8" - 6"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Pexgol PE-Xc Natural	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Pexgol PE-Xc Black	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Pexgol PE-Xc Blue	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Pexgol PE-Xc Red	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{+ ^ S}		PEX 1006	Terratherma PE-Xa Natural	ASTM F876/F877
3/8" - 6"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Terratherma PE-Xc Natural	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Terratherma PE-Xc Black	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Terratherma PE-Xc Blue	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	Terratherma PE-Xc Red	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{+ ^ S}		PEX 1006	AquaSeal PE-Xa Natural	ASTM F876/F877
3/8" - 6"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	AquaSeal PE-Xc Natural	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	AquaSeal PE-Xc Black	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	AquaSeal PE-Xc Blue	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{\$ + ^ S}		PEX 1006	AquaSeal PE-Xc Red	ASTM F876/F877
3/8" - 3/4"	SDR 9			
Pipe ^{+ ^ S}		PEX 1006		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



AquaHeat PE-Xa
Natural

ASTM F876/F877

3/8" - 6" SDR 9

Pipe^{§ + ^ §}

PEX 1006

AquaHeat PE-Xc
Natural

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

AquaHeat PE-Xc Black

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

AquaHeat PE-Xc Blue

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

AquaHeat PE-Xc Red

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{+ ^ §}

PEX 1006

Plumber Friendly PE-
Xa Natural

ASTM F876/F877

3/8" - 6" SDR 9

Pipe^{§ + ^ §}

PEX 1006

Plumber Friendly PE-
Xc Natural

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

Plumber Friendly PE-
Xc Black

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

Plumber Friendly PE-
Xc Blue

ASTM F876/F877

3/8" - 3/4" SDR 9

Pipe^{§ + ^ §}

PEX 1006

Plumber Friendly PE-
Xc Red

ASTM F876/F877

3/8" - 3/4" SDR 9

§ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

+ Material complies with NSF/ANSI Standard 61 health effects requirements.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Radiant Floor Heating

Product Type	Material Type	Trade Name	Product Standard
Pipe [§]	PEX 1006	HeatFlow PEX PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{§ §}	PEX 1006	HeatFlow PEX PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	HeatFlow PEX PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	HeatFlow PEX PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



HeatFlow PEX PE-Xc Red	ASTM F876/F877			
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Heating PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Heating PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$		PEX 1006	Slant/Fin Heating PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Heating PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Heating PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$		PEX 1006	Slant/Fin Plumbing PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Plumbing PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Plumbing PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Plumbing PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Slant/Fin Plumbing PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$		PEX 1006	Pexgol PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe \$ \$		PEX 1006	Pexgol PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Pexgol PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Pexgol PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Pexgol PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$		PEX 1006	Terratherma PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe \$ \$		PEX 1006	Terratherma PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe \$ \$		PEX 1006	Terratherma PE-Xc Black	ASTM F876/F877

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	Terratherma PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	Terratherma PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe [§]	PEX 1006	AquaSeal PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{§ §}	PEX 1006	AquaSeal PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaSeal PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaSeal PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaSeal PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe [§]	PEX 1006	AquaHeat PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{§ §}	PEX 1006	AquaHeat PE-Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaHeat PE-Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaHeat PE-Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	AquaHeat PE-Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe [§]	PEX 1006	Plumber Friendly PE- Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe ^{§ §}	PEX 1006	Plumber Friendly PE- Xc Natural	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	Plumber Friendly PE- Xc Black	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	Plumber Friendly PE- Xc Blue	ASTM F876/F877
3/8" - 3/4" SDR 9 Pipe ^{§ §}	PEX 1006	Plumber Friendly PE- Xc Red	ASTM F876/F877
3/8" - 3/4" SDR 9			

§ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

8 of 8