



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on September 28, 2015.

Golan Plastic Products Ltd.
Kibbutz Shaar Hagolan
M.P. Jordan Valley 15145
Israel
972 46 677432

Facility: Jordan Valley, Israel

Oil and Gas Producing Applications - Pipe and Fittings

| Product Type | Material Type | Trade Name | Product Standard |
|-------------------------|-----------------|---------------------------|-------------------|
| <i>Tubing</i> | <i>PEX 0006</i> | <i>Pexgol PE-Xa Black</i> | <i>ASTM F2905</i> |
| 3" - 18" SDR 7.3 | | | |
| 3" - 20" SDR 8.3 | | | |
| 3" - 24" SDR 9 | | | |
| 3" - 36" SDR 11 | | | |
| 3" - 36" SDR 13.5 | | | |
| 3" - 48" SDR 15.5 | | | |
| 3" - 54" SDR 17 | | | |
| 3" - 54" SDR 21 | | | |
| 16 mm - 355 mm SDR 6 | | | |
| 16 mm - 450 mm SDR 7.4 | | | |
| 16 mm - 800 mm SDR 9 | | | |
| 16 mm - 630 mm SDR 11 | | | |
| 16 mm - 630 mm SDR 13.6 | | | |
| 16 mm - 630 mm SDR 16.2 | | | |
| 16 mm - 630 mm SDR 17 | | | |
| 16 mm - 630 mm SDR 21 | | | |

Potable Water - Pipe and Fittings

| Product Type | Material Type | Trade Name | Product Standard |
|----------------------------|-----------------|-------------------------------|-------------------|
| <i>Tubing</i> \$ ^ ¢ § +++ | <i>PEX 1006</i> | <i>AquaHeat PE-Xa Black</i> | <i>AWWA C904</i> |
| 1/2" - 3" DR 9 | | | |
| <i>Pipe</i> \$ * ^ ¢ +++ | <i>PEX 1006</i> | <i>AquaHeat PE-Xa Natural</i> | <i>ASTM F2788</i> |
| 1/2" - 14" SDR 6DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 1/2" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 1/2" - 25" DR 9 | | | |
| 16 mm - 630 mm DR 9 | | | |
| 3/4" - 25" DR 11 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|---------------------|---------|----------|---------------------------|----------------|
| 20 mm - 630 mm | DR 11 | | | |
| 1" - 25" | DR 13.6 | | | |
| 25 mm - 630 mm | DR 13.6 | | | |
| 1 1/4" - 25" | DR 16.2 | | | |
| 32 mm - 630 mm | DR 16.2 | | | |
| 1 1/4" - 25" | DR 17 | | | |
| 32 mm - 630 mm | DR 17 | | | |
| Pipe \$ ^ ¢ § +++ | | PEX 1006 | AquaHeat PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" | DR 9 | | | |
| Pipe \$ ^ ¢ § +++ | | PEX 1006 | AquaHeat PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" | DR 9 | | | |
| Tubing \$ ^ ¢ § +++ | | PEX 1006 | AquaHeat PE-Xa Natural | AWWA C904 |
| 1/2" - 3" | DR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | AquaHeat PE-Xc Black | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | DR 9 | | | |
| 16 mm - 25 mm | DR 9 | | | |
| 3/4" - 1" | DR 11 | | | |
| 20 mm - 25 mm | DR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ ^ § +++ | | PEX 5006 | AquaHeat PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" | DR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | AquaHeat PE-Xc Blue | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | DR 9 | | | |
| 16 mm - 25 mm | DR 9 | | | |
| 3/4" - 1" | DR 11 | | | |
| 20 mm - 25 mm | DR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ ^ § +++ | | PEX 5006 | AquaHeat PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" | DR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | AquaHeat PE-Xc Natural | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 25 mm DR 7.4
 1/2" - 1" DR 9
 16 mm - 25 mm DR 9
 3/4" - 1" DR 11
 20 mm - 25 mm DR 11
 1" DR 13.6
 25 mm DR 13.6
 Pipe \$ ^ \$ +++

PEX 5006 AquaHeat PE-Xc Natural ASTM F876/F877

14" - 1" DR 6
 Pipe \$ * ^ +++

PEX 5006 AquaHeat PE-Xc Red ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" DR 9
 16 mm - 25 mm DR 9
 3/4" - 1" DR 11
 20 mm - 25 mm DR 11
 1" DR 13.6
 25 mm DR 13.6
 Pipe \$ ^ \$ +++

PEX 5006 AquaHeat PE-Xc Red ASTM F876/F877

1/4" - 1" DR 9
 Tubing \$ ^ ¢ \$ +++

PEX 1006 Sioux Chief PE-Xa Black AWWA C904

1/2" - 3" SDR 9
 Tubing \$ ^ ¢ \$ +++

PEX 1006 AquaSeal PE-Xa Black AWWA C904

1/2" - 3" SDR 9
 Pipe \$ * ^ ¢ +++

PEX 1006 AquaSeal PE-Xa Natural ASTM F2788

1/2" - 14" DR 6
 16 mm - 355 mm DR 6
 1/2" - 18" DR 7.4
 16 mm - 450 mm DR 7.4
 1/2" - 25" SDR 9
 16 mm - 630 mm SDR 9
 3/4" - 25" SDR 11
 20 mm - 630 mm SDR 11
 1" - 25" DR 13.6
 25 mm - 630 mm DR 13.6
 1 1/4" - 25" DR 16.2
 32 mm - 630 mm DR 16.2
 1 1/4" - 25" SDR 17
 32 mm - 630 mm SDR 17
 Pipe \$ ^ ¢ \$ +++

PEX 1006 AquaSeal PE-Xa Natural ASTM F876/F877

3/8" - 6" SDR 9
 Tubing \$ ^ ¢ \$ +++

PEX 1006

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



AquaSeal PE-Xa
Natural

AWWA C904

1/2" - 3" SDR 9

Pipe \$ ^ ¢ § +++

PEX 1006

AquaSeal PE-Xa
Natural

CSA B137.5

3/8" - 6" SDR 9

Pipe \$ * ^ +++

PEX 5006

AquaSeal PE-Xc Black

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ § +++

PEX 5006

AquaSeal PE-Xc Black

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ * ^ +++

PEX 5006

AquaSeal PE-Xc Blue

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ § +++

PEX 5006

AquaSeal PE-Xc Blue

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ * ^ +++

PEX 5006

AquaSeal PE-Xc
Natural

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ § +++

PEX 5006

AquaSeal PE-Xc
Natural

ASTM F876/F877

1/4" - 1" SDR 9

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | |
|----------------------------|----------|-------------------------------|----------------|
| <i>Pipe</i> \$ * ^ +++ | PEX 5006 | AquaSeal PE-Xc Red | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |
| 16 mm - 25 mm DR 7.4 | | | |
| 1/2" - 1" SDR 9 | | | |
| 16 mm - 25 mm SDR 9 | | | |
| 3/4" - 1" SDR 11 | | | |
| 20 mm - 25 mm SDR 11 | | | |
| 1" DR 13.6 | | | |
| 25 mm DR 13.6 | | | |
| <i>Pipe</i> \$ ^ § +++ | PEX 5006 | AquaSeal PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | |
| <i>Tubing</i> \$ ^ ¢ § +++ | PEX 1006 | HeatFlow PEX PE-Xa Black | AWWA C904 |
| 1/2" - 3" SDR 9 | | | |
| <i>Pipe</i> \$ * ^ ¢ +++ | PEX 1006 | HeatFlow PEX PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 1/2" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 1/2" - 25" SDR 9 | | | |
| 16 mm - 630 mm SDR 9 | | | |
| 3/4" - 25" SDR 11 | | | |
| 20 mm - 630 mm SDR 11 | | | |
| 1" - 25" DR 13.6 | | | |
| 25 mm - 630 mm DR 13.6 | | | |
| 1 1/4" - 25" DR 16.2 | | | |
| 32 mm - 630 mm DR 16.2 | | | |
| 1 1/4" - 25" SDR 17 | | | |
| 32 mm - 630 mm SDR 17 | | | |
| <i>Pipe</i> \$ ^ ¢ +++ | PEX 1006 | HeatFlow PEX PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | |
| <i>Tubing</i> \$ ^ ¢ § +++ | PEX 1006 | HeatFlow PEX PE-Xa Natural | AWWA C904 |
| 1/2" - 3" SDR 9 | | | |
| <i>Pipe</i> \$ ^ ¢ § +++ | PEX 1006 | HeatFlow PEX PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | |
| <i>Pipe</i> \$ * ^ +++ | PEX 5006 | HeatFlow PEX PE-Xc Black | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |
| 16 mm - 25 mm DR 7.4 | | | |
| 1/2" - 1" SDR 9 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 HeatFlow PEX PE-Xc Black ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 HeatFlow PEX PE-Xc Blue ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 HeatFlow PEX PE-Xc Blue ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 HeatFlow PEX PE-Xc Red ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 HeatFlow PEX PE-Xc Red ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 HeatFlow PEX PE-Xc Natural ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | |
|---|----------|-------------------------------|----------------|
| 25 mm DR 13.6 Pipe \$ ^ \$ +++ | PEX 5006 | HeatFlow PEX PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Tubing \$ ^ ¢ \$ +++ | PEX 1006 | Pexgol PE-Xa Black | AWWA C904 |
| 1/2" - 3" SDR 9 Tubing \$ ^ ¢ \$ +++ | PEX 1006 | Pexgol PE-Xa Black | ASTM F876/F877 |
| 1/2" - 3" SDR 9 Tubing \$ * ^ ¢ \$ +++ | PEX 1006 | Pexgol PE-Xa Black | |
| 3" SDR 9 | | | |
| 16 mm - 76 mm SDR 9 | | | |
| 3" - 14" SDR 6DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 3" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 3" - 25" DR 9 | | | |
| 16 mm - 630 mm DR 9 | | | |
| 3" - 25" DR 11 | | | |
| 20 mm - 630 mm DR 11 | | | |
| 3" - 25" DR 13.6 | | | |
| 25 mm - 630 mm DR 13.6 | | | |
| 3" - 25" DR 16.2 | | | |
| 32 mm - 630 mm DR 16.2 | | | |
| 3" - 25" DR 17 | | | |
| 32 mm - 630 mm DR 17 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



ASTM F2788/F2788M

| | | | |
|------------------------|----------|------------------------------|----------------|
| Tubing \$ ^ ¢ § +++ | PEX 1006 | Pexgol PE-Xa Black | CSA B137.5 |
| 1/2" - 3" SDR 9 | | | |
| Pipe \$ * ^ ¢ +++ | PEX 1006 | Pexgol PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 1/2" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 1/2" - 25" SDR 9 | | | |
| 16 mm - 630 mm SDR 9 | | | |
| 3/4" - 25" SDR 11 | | | |
| 20 mm - 630 mm SDR 11 | | | |
| 1" - 25" DR 13.6 | | | |
| 25 mm - 630 mm DR 13.6 | | | |
| 1 1/4" - 25" DR 16.2 | | | |
| 32 mm - 630 mm DR 16.2 | | | |
| 1 1/4" - 25" SDR 17 | | | |
| 32 mm - 630 mm SDR 17 | | | |
| Pipe \$ ^ ¢ § +++ | PEX 1006 | Pexgol PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | |
| Tubing \$ ^ ¢ § +++ | PEX 1006 | Pexgol PE-Xa Natural | AWWA C904 |
| 1/2" - 3" SDR 9 | | | |
| Pipe \$ ^ ¢ § +++ | PEX 1006 | Pexgol PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | |
| Pipe \$ * ^ ¢ +++ | PEX 1006 | Sioux Chief PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 1/2" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 1/2" - 25" SDR 9 | | | |
| 16 mm - 630 mm SDR 9 | | | |
| 3/4" - 25" SDR 11 | | | |
| 20 mm - 630 mm SDR 11 | | | |
| 1" - 25" DR 13.6 | | | |
| 25 mm - 630 mm DR 13.6 | | | |
| 1 1/4" - 25" DR 16.2 | | | |
| 32 mm - 630 mm DR 16.2 | | | |
| 1 1/4" - 25" SDR 17 | | | |
| 32 mm - 630 mm SDR 17 | | | |
| Pipe \$ ^ § +++ | PEX 5006 | Pexgol PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | |
| Pipe \$ * ^ +++ | PEX 5006 | Pexgol PE-Xc Black | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6
 Pipe \$ ^ \$ +++
 1/4" - 1" SDR 9
 Pipe \$ * ^ +++
 1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6
 Pipe \$ ^ \$ +++
 1/4" - 1" SDR 9
 Pipe \$ * ^ +++
 1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6
 Pipe \$ ^ \$ +++
 1/4" - 1" SDR 9
 Pipe \$ * ^ +++
 1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

| | | |
|----------|----------------------|----------------|
| PEX 5006 | Pexgol PE-Xc Black | ASTM F876/F877 |
| PEX 5006 | Pexgol PE-Xc Blue | ASTM F2788 |
| PEX 5006 | Pexgol PE-Xc Blue | ASTM F876/F877 |
| PEX 5006 | Pexgol PE-Xc Red | ASTM F2788 |
| PEX 5006 | Pexgol PE-Xc Red | ASTM F876/F877 |
| PEX 5006 | Pexgol PE-Xc Natural | ASTM F2788 |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | |
|-----------------------------|----------|--------------------------------------|----------------|
| <i>Tubing</i> \$ ^ ¢ \$ +++ | PEX 1006 | Plumber Friendly PE-Xa Black | AWWA C904 |
| 1/2" - 3" SDR 9 | | | |
| <i>Pipe</i> \$ * ^ ¢ +++ | PEX 1006 | Plumber Friendly PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" DR 6 | | | |
| 16 mm - 355 mm DR 6 | | | |
| 1/2" - 18" DR 7.4 | | | |
| 16 mm - 450 mm DR 7.4 | | | |
| 1/2" - 25" SDR 9 | | | |
| 16 mm - 630 mm SDR 9 | | | |
| 3/4" - 25" SDR 11 | | | |
| 20 mm - 630 mm SDR 11 | | | |
| 1" - 25" DR 13.6 | | | |
| 25 mm - 630 mm DR 13.6 | | | |
| 1 1/4" - 25" DR 16.2 | | | |
| 32 mm - 630 mm DR 16.2 | | | |
| 1 1/4" - 25" SDR 17 | | | |
| 32 mm - 630 mm SDR 17 | | | |
| <i>Pipe</i> \$ ^ ¢ \$ +++ | PEX 1006 | Plumber Friendly PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | |
| <i>Tubing</i> \$ ^ ¢ \$ +++ | PEX 1006 | Plumber Friendly PE-Xa Natural | AWWA C904 |
| 1/2" - 3" SDR 9 | | | |
| <i>Pipe</i> \$ ^ ¢ \$ +++ | PEX 1006 | Plumber Friendly PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | |
| <i>Pipe</i> \$ ^ ¢ \$ +++ | PEX 1006 | Sioux Chief PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | |
| <i>Pipe</i> \$ * ^ +++ | PEX 5006 | Plumber Friendly PE-Xc Black | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |
| 16 mm - 25 mm DR 7.4 | | | |
| 1/2" - 1" SDR 9 | | | |
| 16 mm - 25 mm SDR 9 | | | |
| 3/4" - 1" SDR 11 | | | |
| 20 mm - 25 mm SDR 11 | | | |
| 1" DR 13.6 | | | |
| 25 mm DR 13.6 | | | |
| <i>Pipe</i> \$ ^ \$ +++ | PEX 5006 | Plumber Friendly PE-Xc Black | ASTM F876/F877 |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|-------------------------------|----------|----------|--------------------------------------|----------------|
| 1/4" - 1" Pipe \$ * ^ +++ | SDR 9 | PEX 5006 | Plumber Friendly PE-Xc Blue | ASTM F2788 |
| 1/2" - 1" 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | SDR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" 20 mm - 25 mm | SDR 11 | | | |
| 1" 25 mm | DR 13.6 | | | |
| 1/4" - 1" Pipe \$ ^ \$ +++ | SDR 9 | PEX 5006 | Plumber Friendly PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" Pipe \$ * ^ +++ | SDR 9 | PEX 5006 | Plumber Friendly PE-Xc Natural | ASTM F2788 |
| 1/2" - 1" 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 9 | | | |
| 3/4" - 1" 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" 20 mm - 25 mm | SDR 11 | | | |
| 1" 25 mm | DR 13.6 | | | |
| 1/4" - 1" Pipe \$ ^ \$ +++ | SDR 9 | PEX 5006 | Plumber Friendly PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" Pipe \$ * ^ +++ | SDR 9 | PEX 5006 | Plumber Friendly PE-Xc Red | ASTM F2788 |
| 1/2" - 1" 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" 20 mm - 25 mm | SDR 11 | | | |
| 1" 20 mm - 25 mm | SDR 11 | | | |
| 1" 25 mm | DR 13.6 | | | |
| 1/4" - 1" Pipe \$ ^ \$ +++ | SDR 13.6 | PEX 5006 | Plumber Friendly PE-Xc Red | ASTM F876/F877 |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | |
|--|----------|---------------------------------------|----------------|
| 1/4" - 1" SDR 9 Tubing \$ ^ ¢ § +++ | PEX 1006 | Slant/Fin Heating PE-Xa Black | AWWA C904 |
| 1/2" - 3" SDR 9 Pipe \$ ^ ¢ § +++ | PEX 1006 | Slant/Fin Heating PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 Tubing \$ ^ ¢ § +++ | PEX 1006 | Slant/Fin Heating PE-Xa Natural | AWWA C904 |
| 1/2" - 3" SDR 9 Pipe \$ ^ ¢ § +++ | PEX 1006 | Sioux Chief PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 Pipe \$ ^ ¢ § +++ | PEX 1006 | Slant/Fin Heating PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 Pipe \$ * ^ +++ | PEX 5006 | Slant/Fin Heating PE-Xc Black | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |
| 16 mm - 25 mm DR 7.4 | | | |
| 1/2" - 1" SDR 9 | | | |
| 16 mm - 25 mm SDR 9 | | | |
| 3/4" - 1" SDR 11 | | | |
| 20 mm - 25 mm SDR 11 | | | |
| 1" DR 13.6 | | | |
| 25 mm DR 13.6 | | | |
| Pipe \$ ^ § +++ | PEX 5006 | Slant/Fin Heating PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ * ^ +++ | PEX 5006 | Slant/Fin Heating PE-Xc Blue | ASTM F2788 |
| 1/2" - 1" DR 6 | | | |
| 16 mm - 25 mm DR 6 | | | |
| 1/2" - 1" DR 7.4 | | | |
| 16 mm - 25 mm DR 7.4 | | | |
| 1/2" - 1" SDR 9 | | | |
| 16 mm - 25 mm SDR 9 | | | |
| 3/4" - 1" Sch 11 | | | |
| 20 mm - 25 mm SDR 11 | | | |
| 1" DR 13.6 | | | |
| 25 mm DR 13.6 | | | |
| Pipe \$ ^ § +++ | PEX 5006 | | |
| 1/4" - 1" SDR 9 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Slant/Fin
Heating PE-Xc
Blue
Pipe \$ * ^ ¢ +++

ASTM F876/F877

- 1/2" - 14" DR 6
- 16 mm - 355 mm DR 6
- 1/2" - 18" DR 7.4
- 16 mm - 450 mm DR 7.4
- 1/2" - 25" SDR 9
- 16 mm - 630 mm SDR 9
- 3/4" - 25" SDR 11
- 20 mm - 630 mm SDR 11
- 1" - 25" DR 13.6
- 25 mm - 630 mm DR 16.2
- 1 1/4" - 25" DR 16.2
- 32 mm - 630 mm DR 16.2
- 1 1/4" - 25" SDR 17
- 32 mm - 630 mm SDR 17

PEX 1006

Slant/Fin
Heating PE-Xa
Natural

ASTM F2788

Pipe \$ * ^ ¢ +++

PEX 5006

Slant/Fin
Heating PE-Xc
Natural

ASTM F2788

- 1/2" - 1" DR 6
- 1/2" - 1" DR 7.4
- 16 mm - 25 mm DR 7.4
- 25 mm DR 13.6
- 16 mm - 25 mm SDR 9
- 3/4" - 1" SDR 11
- 20 mm - 25 mm SDR 11
- 1" DR 13.6
- 16 mm - 25 mm DR 6
- 1/2" - 1" SDR 9

Pipe \$ ^ § +++

PEX 5006

Slant/Fin
Heating PE-Xc
Natural

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ ^ § +++

PEX 5006

Slant/Fin
Heating PE-Xc
Red

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ * ^ ¢ +++

PEX 5006

Slant/Fin
Heating PE-Xc
Red

ASTM F2788

- 1/2" - 1" DR 6
- 16 mm - 25 mm DR 6
- 1/2" - 1" DR 7.4
- 16 mm - 25 mm DR 7.4
- 1/2" - 1" SDR 9
- 16 mm - 25 mm SDR 9
- 3/4" - 1" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|----------------------|---------|----------|--|----------------|
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Tubing \$ ^ ¢ \$ +++ | | PEX 1006 | Slant/Fin Plumbing PE-Xa Black | AWWA C904 |
| 1/2" - 3" | SDR 9 | | | |
| Pipe \$ ^ ¢ \$ +++ | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" | SDR 9 | | | |
| Tubing \$ ^ ¢ \$ +++ | | PEX 1006 | Sioux Chief PE-Xa Natural | AWWA C904 |
| 1/2" - 3" | SDR 9 | | | |
| Pipe \$ * ^ ¢ +++ | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" | DR 6 | | | |
| 16 mm - 355 mm | DR 6 | | | |
| 1/2" - 18" | DR 7.4 | | | |
| 16 mm - 450 mm | DR 7.4 | | | |
| 1/2" - 25" | SDR 9 | | | |
| 16 mm - 630 mm | SDR 9 | | | |
| 3/4" - 25" | SDR 11 | | | |
| 20 mm - 630 mm | SDR 11 | | | |
| 1" - 25" | DR 13.6 | | | |
| 25 mm - 630 mm | DR 13.6 | | | |
| 1 1/4" - 25" | DR 16.2 | | | |
| 32 mm - 630 mm | DR 16.2 | | | |
| 1 1/4" - 25" | SDR 17 | | | |
| 32 mm - 630 mm | SDR 17 | | | |
| Tubing \$ ^ ¢ \$ +++ | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | AWWA C904 |
| 1/2" - 3" | SDR 9 | | | |
| Pipe \$ ^ ¢ \$ +++ | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" | SDR 9 | | | |
| Pipe \$ ^ ¢ \$ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" | SDR 9 | | | |
| Pipe \$ * ^ ¢ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Black | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | SIDR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | SDR 9 | | | |
| 16 mm - 25 mm | SDR 9 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|------------------|---------|----------|--|----------------|
| 3/4" - 1" | SDR 11 | | | |
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ ^ \$ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" | SDR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Blue | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | SDR 9 | | | |
| 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" | SDR 11 | | | |
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ ^ \$ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" | SDR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Natural | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | SDR 9 | | | |
| 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" | SDR 11 | | | |
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ ^ \$ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" | SDR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | Slant/Fin Plumbing PE-Xc Red | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | SDR 9 | | | |
| 16 mm - 25 mm | SDR 9 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|---------------------|---------|----------|------------------------------|----------------|
| 3/4" - 1" | SDR 11 | | | |
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | Sioux Chief PE-Xc Black | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |
| 16 mm - 25 mm | DR 7.4 | | | |
| 1/2" - 1" | SDR 9 | | | |
| 16 mm - 25 mm | SDR 9 | | | |
| 3/4" - 1" | SDR 11 | | | |
| 20 mm - 25 mm | SDR 11 | | | |
| 1" | DR 13.6 | | | |
| 25 mm | DR 13.6 | | | |
| Tubing \$ ^ ¢ § +++ | | PEX 1006 | Terratherma PE-Xa Black | AWWA C904 |
| 1/2" - 3" | SDR 9 | | | |
| Pipe \$ ^ ¢ § +++ | | PEX 1006 | Terratherma PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" | SDR 9 | | | |
| Pipe \$ * ^ ¢ +++ | | PEX 1006 | Terratherma PE-Xa Natural | ASTM F2788 |
| 1/2" - 14" | DR 6 | | | |
| 16 mm - 355 mm | DR 6 | | | |
| 1/2" - 18" | DR 7.4 | | | |
| 16 mm - 450 mm | DR 7.4 | | | |
| 1/2" - 25" | SDR 9 | | | |
| 16 mm - 630 mm | SDR 9 | | | |
| 3/4" - 25" | SDR 11 | | | |
| 20 mm - 630 mm | SDR 11 | | | |
| 1" - 25" | DR 13.6 | | | |
| 25 mm - 630 mm | DR 13.6 | | | |
| 1 1/4" - 25" | DR 16.2 | | | |
| 32 mm - 630 mm | DR 16.2 | | | |
| 1 1/4" - 25" | SDR 17 | | | |
| 32 mm - 630 mm | SDR 17 | | | |
| Tubing \$ ^ ¢ § +++ | | PEX 1006 | Terratherma PE-Xa Natural | AWWA C904 |
| 1/2" - 3" | SDR 9 | | | |
| Pipe \$ ^ ¢ § +++ | | PEX 1006 | Terratherma PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" | SDR 9 | | | |
| Pipe \$ * ^ +++ | | PEX 5006 | Terratherma PE-Xc Black | ASTM F2788 |
| 1/2" - 1" | DR 6 | | | |
| 16 mm - 25 mm | DR 6 | | | |
| 1/2" - 1" | DR 7.4 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Black ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ \$ +++ PEX 5006 Terratherma PE-Xc Blue ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Blue ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ \$ +++ PEX 5006 Terratherma PE-Xc Natural ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Natural ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ ^ \$ +++ PEX 5006 Sioux Chief PE-Xc Black ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ \$ +++ PEX 5006 Terratherma PE-Xc Red ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Red ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 Sioux Chief PE-Xc Blue ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Sioux Chief PE-Xc Blue ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 Sioux Chief PE-Xc Natural ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11
 1" DR 13.6
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Sioux Chief PE-Xc Natural ASTM F876/F877

1/4" - 1" SDR 9
 Pipe \$ * ^ +++

PEX 5006 Sioux Chief PE-Xc Red ASTM F2788

1/2" - 1" DR 6
 16 mm - 25 mm DR 6
 1/2" - 1" DR 7.4
 16 mm - 25 mm DR 7.4
 1/2" - 1" SDR 9
 16 mm - 25 mm SDR 9
 3/4" - 1" SDR 11
 20 mm - 25 mm SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | |
|-----------------|----------|--------------------------|----------------|
| 1" DR 13.6 | | | |
| 25 mm DR 13.6 | | | |
| Pipe \$ ^ § +++ | PEX 5006 | Sioux Chief PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | |

§ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

* Barrier Pipes only Certified up to 160mm (6").

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

Radiant Floor Heating

| Product Type | Material Type | Trade Name | Product Standard |
|--------------------------------|---------------|---------------------------------------|------------------|
| Pipe \$ ¢ § | PEX 1006 | Sioux Chief PEX PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 Pipe \$ ¢ § | PEX 1006 | Sioux Chief PEX PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 Pipe \$ § | PEX 5006 | Sioux Chief PEX PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | PEX 5006 | Sioux Chief PEX PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | PEX 5006 | Sioux Chief PEX PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | PEX 5006 | Sioux Chief PEX PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | PEX 5006 | Slant/Fin Heating PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | PEX 5006 | Slant/Fin Heating PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ ¢ § | PEX 1006 | Slant/Fin Heating PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|--------------------------------|--|----------|--|----------------|
| Pipe \$ ¢ § | | PEX 1006 | Slant/Fin Heating PE-Xc Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 Pipe \$ § | | PEX 5006 | Slant/Fin Heating PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Slant/Fin Heating PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Slant/Fin Plumbing PE-Xa Natural | CSA B137.5 |
| Pipe \$ § | | PEX 5006 | Slant/Fin Plumbing PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Slant/Fin Plumbing PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Slant/Fin Plumbing PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Slant/Fin Plumbing PE-Xc Red | ASTM F876/F877 |
| 3/8" - 1" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Pexgol PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Pexgol PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 Pipe \$ § | | PEX 5006 | Pexgol PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Pexgol PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Pexgol PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ § | | PEX 5006 | Pexgol PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Terratherma PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 Pipe \$ ¢ § | | PEX 1006 | Terratherma PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|-----------------|--|----------|--------------------------------------|----------------|
| Pipe \$ S | | PEX 5006 | Terratherma PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | Terratherma PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | Terratherma PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | Terratherma PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | AquaSeal PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | AquaSeal PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaSeal PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaSeal PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaSeal PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaSeal PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | AquaHeat PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | AquaHeat PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaHeat PE-Xc Natural | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaHeat PE-Xc Black | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaHeat PE-Xc Blue | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | AquaHeat PE-Xc Red | ASTM F876/F877 |
| 1/4" - 1" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | Plumber Friendly PE-Xa Natural | ASTM F876/F877 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ C S | | PEX 1006 | Plumber Friendly PE-Xa Natural | CSA B137.5 |
| 3/8" - 6" SDR 9 | | | | |
| Pipe \$ S | | PEX 5006 | | |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | | | |
|---|-----------------------|-----------------|---|-----------------------|
| <i>Plumber Friendly PE-Xc Natural</i> | <i>ASTM F876/F877</i> | | | |
| <i>1/4" - 1" SDR 9 Pipe § §</i> | | <i>PEX 5006</i> | <i>Plumber Friendly PE-Xc Black</i> | <i>ASTM F876/F877</i> |
| <i>1/4" - 1" SDR 9 Pipe § §</i> | | <i>PEX 5006</i> | <i>Plumber Friendly PE-Xc Blue</i> | <i>ASTM F876/F877</i> |
| <i>1/4" - 1" SDR 9 Pipe § §</i> | | <i>PEX 5006</i> | <i>Plumber Friendly PE-Xc Red</i> | <i>ASTM F876/F877</i> |
| <i>1/4" - 1" SDR 9</i> | | | | |

§ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.