



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, February 07, 2022** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=02750&Standard=061&>

NSF/ANSI/CAN 61

Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#). Click here for the definitions of [Water Contact Temperatures denoted in these Listings](#).

Golan Plastic Products Ltd.

Kibbutz Shaar Hagolan
M.P. Jordan Valley 15145
Israel
972 46 677432
[Visit this company's website](#)

Facility : Jordan Valley, Israel

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Pipe Only			
AquaHeat[1]	>= 1/4"	C. HOT	PEX
AquaHeat PE-Xa Black[2]	>= 3/8"	C. HOT	PEX

AquaHeat PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
AquaHeat PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
AquaHeat PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
AquaHeat PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
AquaHeat PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
AquaHeat PE-Xc White[1]	>= 1/4"	C. HOT	PEX
AquaSeal[1]	>= 1/4"	C. HOT	PEX
AquaSeal PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
AquaSeal PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
AquaSeal PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
AquaSeal PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
AquaSeal PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
AquaSeal PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
AquaSeal PE-Xc White[1]	>= 1/4"	C. HOT	PEX
HeatFlow PEX PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
HeatFlow PEX PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
HeatFlow PEX PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
HeatFlow PEX PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
HeatFlow PEX PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
HeatFlow PEX PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
HeatFlow PEX PE-Xc White[1]	>= 1/4"	C. HOT	PEX
Pexgol[1]	>= 1/4"	C. HOT	PEX
Pexgol PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
Pexgol PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
Pexgol PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
Pexgol PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
Pexgol PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
Pexgol PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
Pexgol PE-Xc White[1]	>= 1/4"	C. HOT	PEX
Plumber Friendly PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
Plumber Friendly PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
Plumber Friendly PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
Plumber Friendly PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
Plumber Friendly PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
Plumber Friendly PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
Plumber Friendly PE-Xc White[1]	>= 1/4"	C. HOT	PEX
Sioux Chief[1]	>= 1/4"	C. HOT	PEX
Sioux Chief PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
Sioux Chief PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
Sioux Chief PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
Sioux Chief PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
Sioux Chief PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
Sioux Chief PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
Sioux Chief PE-Xc White[1]	>= 1/4"	C. HOT	PEX
SlantFin Plumbing PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
SlantFin Plumbing PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
SlantFin Plumbing PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
SlantFin Plumbing PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
SlantFin Plumbing PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
SlantFin Plumbing PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
SlantFin Plumbing PE-Xc White[1]	>= 1/4"	C. HOT	PEX
Slantfin Heating PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
Slantfin Heating PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
Slantfin Heating PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX
Slantfin Heating PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
Terratherma[1]	>= 1/4"	C. HOT	PEX
Terratherma PE-Xa Black[2]	>= 3/8"	C. HOT	PEX
Terratherma PE-Xa Natural[2]	>= 3/8"	C. HOT	PEX
Terratherma PE-Xc Black[1]	>= 1/4"	C. HOT	PEX
Terratherma PE-Xc Blue[1]	>= 1/4"	C. HOT	PEX
Terratherma PE-Xc Natural[1]	>= 1/4"	C. HOT	PEX

Terratherma PE-Xc Red[1]	>= 1/4"	C. HOT	PEX
Terratherma PE-Xc White[1]	>= 1/4"	C. HOT	PEX

- [1] These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.
- [2] These products may also be produced with a clear, blue, orange or red barrier material on the outer layer of the tubing.

Number of matching Manufacturers is 1

Number of matching Products is 65

Processing time was 0 seconds

CONNECT WITH NSF



©2012 NSF International. All rights reserved.